Appl. No. 09/680,429

Page 3

CLAIM SET AS AMENDED

Please amend the claims as follows:

- 1. (Currently Amended) A piezo-film speaker comprising:
- a flat piezo-film curvedly supported to form at least one curved portion, said flat piezo-film having at least a radius (R) of curvature at each curved portion in a range of $R \ge 200$ mm or an area (S) of a principal surface of said piezo-film is in a range of $S \ge 40$ cm².
- 2. (Currently Amended) The piezo-film speaker according to claim 1, wherein said flat piezo-film includes the characteristics of a radius (R) of curvature at each curved portion in a range of 210mm ≤R ≤360 mm.
- 3. (Currently Amended) The piezo-film speaker according to claim 1, wherein said flat piezo-film includes an area S of a principal surface of said piezo-film in a range of $40 \text{ cm}^2 \leq S \leq 100 \text{ cm}^2$.
- 4. (Currently Amended) The piezo-lilm speaker according to claim 1, wherein said flat piezo-film includes:
- a radius (R) of curvature at each curved portion in a range of 210mm \leq R \leq 360 mm and an area (S) of a principal surface of said piezo-film is in a range of 40 cm² \leq S \leq 100 cm².

Appl. No. 09/680,429

Page 4

5. (Original) The piezo-film speaker according to claim 2, wherein said piezo-film speaker has a film thickness (t) of 110 μ m.

6. (Original) The piezo-film speaker according to claim 3, wherein said piezo-film speaker has a film thickness (t) of 28 μ m.

7. (Currently Amended) A motorcycle helmet including a hard, thin helmet shell, said helmet comprising:

a piezo-film speaker built into said helmet, wherein said piezo-film speaker includes a flat piezo-film curvedly supported to form at least one curved portion, said flat piezo-film having at least a radius (R) of curvature at each curved portion in a range of R \geq 200 mm or an area (S) of a principal surface of said piezo-film is in a range of S \geq 40 cm².

- 8. (Currently Amended) The motorcycle helmet according to claim 7, wherein said flat piezo-film has a radius (R) of curvature at each curved portion in a range of 210mm \leq R \leq 360 mm and an area S of a principal surface of said piezo-film in a range of 40 cm² \leq S \leq 100 cm².
- 9. (Currently Amended) The motorcycle helmet according to claim 7, wherein said flat piezo-film has a radius (R) of curvature at each curved portion in a range of 210mm ≤R ≤360 mm.

BY

Appl. No. 09/680,429

Page 5

- 10. (Currently Amended) The motorcycle helmet according to claim 7, wherein said flat piezo-film has an area S of a principal surface of said piezo-film in a range of 40 cm² \leq S \leq 100 cm².
- 11. (Previously Amended) The motorcycle helmet according to claim 8, wherein said piezo-film speaker has a film thickness (t) of 110 μ m.
- 12. (Previously Amended) The motorcycle helmet according to claim 9, wherein said piezo-film speaker has a film thickness (t) of 28 μ m.
- 13. (Previously Amended) The motorcycle helmet according to claim 7, wherein said helmet further comprises:
 - a head liner fixed on an inner surface of said helmet shell;
 - a head inner removably and dividedly mounted so as to cover the head liner; and
- ear inners and a chin inner removably and dividely mounted with respective liners on the inner surface of said helmet shell.
- 14. (Currently Amended) The motorcycle helmet according to claim 13, wherein said helmet further comprises a plurality of said flat piezo-film speakers, each speaker mounted directly to said inner surface of said helmet shell.

Appl. No. 09/680,429

Page 6

15. (Previously Added) The piezo-film speaker according to claim 1, wherein said radius (R) of curvature at each curved portion is in a range of $210 \le R \le 340$ mm and an area S of a principal surface of said piezo-film in a range of $50 \text{ cm}^2 \le S \le 100 \text{ cm}^2$.

16. (Previously Added) The piezo-film speaker according to claim 7, wherein said radius (R) of curvature at each curved portion is in a range of $210 \le R \le 340$ mm and an area S of a principal surface of said piezo-film in a range of $50 \text{ cm}^2 \le 100 \text{ cm}^2$.